



## **ADDENDUM I**

**SUBJECT:** PWD/SWMD Trailer Mounted Pressure Washers, (IFB 6100018919), Scheduled to Close: March 19, 2025; Date of Issue: March 3, 2025

**FROM:** Jennifer Johnson  
Procurement Administrator

**DATE:** March 18, 2025

**THIS NOTICE SHALL SERVE AS ADDENDUM NO. I - TO THE ABOVE REFERENCED INVITATION FOR BID**

**THE ABOVE MENTIONED INVITATION FOR BID IS HEREBY AMENDED AS FOLLOWS:**

- 1. Modify: The IFB opening date has been extended to March 26, 2025; 2:00 PM CT.**
- 2. Pre-Submittal Conference Sign In Sheet, this document will be posted as a separate file.**
- 3. Modify: IFB Document Section 004 – Specifications / Scope of Services:**

**Section 4.4.10.2 is changed to read:**

**4.4.10.2** Washer shall be equipped with 2 sets of hose reels for hoses supplied. Each hose reel shall be electric wind up.

### **QUESTIONS SUBMITTED IN ACCORDANCE WITH SECTION 003, PRE-SUBMITTAL CONFERENCE:**

On March 6, 2025, the City of San Antonio hosted a Pre-Submittal Conference to provide information and clarification for the PWD/SWMD Trailer Mounted Pressure Washers. Below is a list of questions that were asked at the pre-submittal conference. The City's official response to questions asked is as follows:

**Question 1:** Under Section 4.2.7 it states all prices will be quoted F.O.B., destination. So, does that mean we have to add that in the price for the Trailer Mounted Pressure Washers?

**Response:** Yes, vendors must account for the total cost to build the Trailer Mounted Pressure Washers and delivery of the trailers in one fee and submit on Attachment A-Price Schedule. The City will not add any delivery fee after the contract has been awarded.

Question 2: The price schedule states delivery. Does the City give the delivery date or do vendors provide the date?

Response: Vendors must provide their own delivery time based on when they expect the trailer to be built and delivered to the City facility after issuance of a purchase order.

Question 3: Will the City work with vendors outside of Texas?

Response: Yes, we will accept submission from vendors outside of Texas if they abide by the requested specification, warranty, trailer registration and any other requirement on the IFB solicitation document.

### **QUESTIONS SUBMITTED IN ACCORDANCE WITH SECTION 003, RESTRICTIONS OF COMMUNICATION:**

Question 4: Under Item 1, Section 4.3.6 Tank, does the water tank need a shut off float valve?

Response: No, Bid Item 1 does not require a shut off float valve.

Question 5: Under Item 1, Section 4.3.10 Hoses, For the 50 ft of hose do you want both 50 ft section of pressure hose on one reel and a water intake hose on the second reel or do you want 50 ft per hose reel so be able to run 2 different hoses off the same unit?

Response: As written there shall be two, 50 ft. hose reels. One hose reel of 50 ft hose will be rejected. Water intake is separate at the top of the tank. Refer to Photo 2 on page 11. Should both hoses be used simultaneously then it is understood there would be a drop in pressure.

Question 6: Under Item 2, Section 4.4.6 Tank, does the water tank need a shut off float valve?

Response: No, Bid Item 2 does not require a shut off float valve.

Question 7: Under Item 2, Section 4.4.6 Tank, do you want the pump out / discharge of the recovery unit hard plumbed to the 525-gallon gray water tank?

Response: Equipment must be fully operational per specification 4.4.17.

Question 8: Under Item 2, Section 4.4.6 Tank, what type of drain do you want on the 525-gallon gray water tank?

Response: Manufacturer's drain design is acceptable. This shall be an established manufacturer's proven product that is available.

Question 9: Under Item 2, Section 4.4.10 Hoses, For the 100 ft of hose do you want both 100 ft section of pressure hose on one reel and a water intake hose on the second reel or do you want 100 ft per hose reel so be able to run 2 different hoses off the same unit?

Response: Please see the revision to 4.4.10.2. For clarification supplying only one hose reel of 100 ft hose will be rejected. Water intake is at the top of the tank. It is understood that should both hoses be used simultaneously then there will be a drop in water pressure.

Question 10: Under Item 2, Section 4.4.12 Trailer Deck, there is a minimum length of 10ft. for the trailer but no maximum. Can this be a 16 ft., steel deck trailer?


Response: The bid will be awarded to the lowest bidder. There is no maximum deck length to accommodate the different trailer tongue designs from different providers.

Question 11: For all trailers, is a spare tire needed?

Response: No, Department will not need spare tires for any of the trailers.

Question 12: How is the City Planning to fill the water tanks?

Response: Using the top of the tank opening.

A handwritten signature in cursive script that reads "Jennifer Johnson".

---

Jennifer Johnson

Procurement Administrator

Finance Department - Procurement Division